

# Asthma Action Plan

## General Information:

Name \_\_\_\_\_

Emergency contact \_\_\_\_\_ Phone numbers \_\_\_\_\_

Physician/Health Care Provider \_\_\_\_\_ Phone numbers \_\_\_\_\_

Physician Signature \_\_\_\_\_ Date \_\_\_\_\_

### Severity Classification

- Mild Intermittent    Moderate Persistent  
 Mild Persistent    Severe Persistent

### Triggers

- Colds    Smoke    Weather  
 Exercise    Dust    Air pollution  
 Animals    Food  
 Other

### Exercise

1. Pre-medication (how much and when)  
\_\_\_\_\_  
2. Exercise modifications \_\_\_\_\_  
\_\_\_\_\_

## Green Zone: Doing Well

### Peak Flow Meter Personal Best=

#### Symptoms

- Breathing is good
- No cough or wheeze
- Can work and play
- Sleeps all night

#### Control Medications

Medicine	How Much to Take	When To Take It
_____	_____	_____
_____	_____	_____
_____	_____	_____

#### Peak Flow Meter

More than 80% of personal best or \_\_\_\_\_

## Yellow Zone: Getting Worse

### Contact Physician if using quick relief more than 2 times per week.

#### Symptoms

- Some problems breathing
- Cough, wheeze or chest tight
- Problems working or playing
- Wake at night

#### Continue control medicines and add:

Medicine	How Much to Take	When To Take It
_____	_____	_____
_____	_____	_____
_____	_____	_____

#### Peak Flow Meter

Between 50 to 80% of personal best or \_\_\_\_\_ to \_\_\_\_\_

#### IF your symptoms (and peak flow, if used) return to Green Zone after one hour of the quick relief treatment, THEN

- Take quick-relief medication every 4 hours for 1 to 2 days
- Change your long-term control medicines by \_\_\_\_\_
- Contact your physician for follow-up care

#### IF your symptoms (and peak flow, if used) DO NOT return to the Green Zone after 1 hour of the quick relief treatment, THEN

- Take quick-relief treatment again
- Change your long-term control medicines by \_\_\_\_\_
- Call your physician/Health Care Provider within \_\_\_\_\_ hours of modifying your medication routine

## Red Zone: Medical Alert

### Ambulance/Emergency Phone Number:

#### Symptoms

- Lots of problems breathing
- Cannot work or play
- Getting worse instead of better
- Medicine is not helping

#### Continue control medicines and add:

Medicine	How Much to Take	When To Take It
_____	_____	_____
_____	_____	_____
_____	_____	_____

#### Peak Flow Meter

Between 0 to 50% of personal best or \_\_\_\_\_ to \_\_\_\_\_

#### Go to the hospital or call for an ambulance if

- Still in the red zone after 15 minutes
- If you have not been able to reach your physician/health care provider for help
- \_\_\_\_\_

#### Call an ambulance immediately if the following danger signs are present

- Trouble walking/talking due to shortness of breath
- Lips or fingernails are blue